

**From:** Gnance@TechLawInc.com  
**Sent:** 2/7/2012 5:35:40 PM

**To:** "Richard Rupert" <Rupert.Richard@epamail.epa.gov>; "Ann DiDonato" <DiDonato.Ann@epamail.epa.gov>  
**CC:** "Graves, Suddha" <Sgraves@TechLawInc.com>  
**Subject:** FW: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

Additional RP data, validated by ESAT.

Gene Nance  
TechLaw, Inc.  
740.867.0968 (office)  
304.830.1442 (mobile)

-----Original Message-----

**From:** Ex. 4 - CBI  
**Sent:** Tuesday, February 07, 2012 12:22 PM  
**To:** Richard Fetzer  
**Cc:** Ex. 4 - CBI; Nance, Gene  
**Subject:** 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer  
US EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated inorganic data for the Dimock Residential Groundwater site, Case # 180-2644-01, 2 samples. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 01079A

(See attached file: 180-2644-01 (2).PDF)(See attached file: 180-2644-1\_Validated\_General\_DSF.xls)

Sincerely,

Ex. 4 - CBI  
Lockheed Martin IS&GS - Civil  
Energy & Environment  
ESAT Region 3  
701 Mapes Road  
Ft. Meade, MD 20755-5350

**Ex. 4 - CBI**

- 180-2644-01 (2).PDF - 180-2644-1\_Validated\_General\_DSF.xls